OYA
QUALITY HOSE CLAMPS
MARINE | INDUSTRIAL | AUTOMOTIVE
AGRICULTURAL | PLUMBING | LAWN | GARDEN

Keeping it Tight

Specification MANUAL

FIG 304 - COMPOSITE WORM DRIVE CLAMP
(PRETTY AMERICAN TYPE)



CODE	DIAMETER RANGE (Ø)	SCREW LENGTH mm	BAND WIDTH mm	BAND THICKNESS mm	BREAKING TORQUE
304/CO002	8 - 12mm	19 ± 0.5	8	0.6	2.8NM
304/CO004	7 - 17mm				
304/CO006	10 - 22mm				

Material:	
Body:	203 Stainless Steel
Housing:	203 Stainless Steel
Screw:	Zink white plated steel

FIG 301 - FULL SS WORM DRIVE CLAMP
(PRETTY AMERICAN TYPE)



CODE	DIAMETER RANGE (Ø)	SCREW LENGTH mm	BAND WIDTH mm	BAND THICKNESS mm	BREAKING TORQUE
301/SS004	7 - 17mm	19 ± 0.5	8	0.6	2.8NM

Material:	
Body:	301 Stainless Steel
Housing:	301 Stainless Steel
Screw:	301 Stainless Steel

TBT
Tel: +27 41 364 0844
Fax: +27 41 364 0676
sales@tbtsa.com

FIG 301 - FULL SS WORM DRIVE CLAMP
(EUROPEAN TYPE)



CODE	DIAMETER RANGE (Ø)	SCREW LENGTH mm	BAND WIDTH mm	BAND THICKNESS mm	BREAKING TORQUE
301/SS006	10 - 22mm	28.5 ± 0.5	12.5	0.6	7NM
301/SS008	14 - 27mm				
301/SS012	14 - 32mm				
301/SS016	17 - 38mm				
301/SS020	19 - 44mm				
301/SS024	25 - 51mm				
301/SS028	32 - 57mm				
301/SS032	38 - 63mm				
301/SS036	44 - 70mm				
301/SS040	51 - 76mm				
301/SS044	57 - 82mm				
301/SS048	63 - 89mm				
301/SS052	71 - 95mm				
301/SS056	78 - 102mm				
301/SS060	84 - 108mm				
301/SS064	91 - 114mm				
301/SS072	105 - 127mm				
301/SS080	117 - 140mm				

Material:	
Body:	301 Stainless Steel
Housing:	301 Stainless Steel
Screw:	301 Stainless Steel

TBT
Tel: +27 41 364 0844
Fax: +27 41 364 0676
sales@tbtsa.com

OYA
QUALITY HOSE CLAMPS
MARINE | INDUSTRIAL | AUTOMOTIVE
AGRICULTURAL | PLUMBING | LAWN | GARDEN

Keeping it Tight

Specification
MANUAL

FIG 304 - COMPOSITE WORM DRIVE CLAMP
(EUROPEAN TYPE)



CODE	DIAMETER RANGE (Ø)	SCREW LENGTH mm	BAND WIDTH mm	BAND THICKNESS mm	BREAKING TORQUE
304/CO008	14 - 27mm	28.5 ± 0.5	12.5	0.6	7NM
304/CO012	14 - 32mm				
304/CO016	17 - 38mm				
304/CO020	19 - 44mm				
304/CO024	25 - 51mm				
304/CO028	32 - 57mm				
304/CO032	38 - 63mm				
304/CO036	44 - 70mm				
304/CO040	51 - 76mm				
304/CO044	57 - 82mm				
304/CO048	63 - 89mm				
304/CO052	71 - 95mm				
304/CO056	78 - 102mm				
304/CO060	84 - 108mm				
304/CO064	91 - 114mm				
304/CO068	95 - 121mm				
304/CO072	105 - 127mm				
304/CO080	117 - 140mm				
304/C0084	121 - 146mm				
304/CO088	127- 152mm				

Material:	
Body:	203 Stainless Steel
Housing:	203 Stainless Steel
Screw:	Zink white plated steel

TBT
Tel: +27 41 364 0844
Fax: +27 41 364 0676
sales@tbtsa.com

OYA
QUALITY HOSE CLAMPS
MARINE | INDUSTRIAL | AUTOMOTIVE
AGRICULTURAL | PLUMBING | LAWN | GARDEN

Keeping it Tight

Specification MANUAL

FIG 305 - MEDIUM DUTY BOLTED CLAMP
MILD STEEL



CODE	DIAMETER RANGE (Ø)	SCREW LENGTH (A)	BAND WIDTH	BAND THICKNESS	BOLT THICKNESS
305/MD020	23 - 27mm	60mm	19mm	1mm	M6
305/MD025	29 - 34mm	60mm			
305/MD032	37 - 42mm	60mm			
305/MD040	42 - 48mm	65mm			
305/MD050	54 - 61mm	65mm			
305/MD065	68 - 75mm	65mm			
305/MD080	82 - 89mm	65mm			

Material:	
Body:	Mild Steel
Housing:	Mild Steel
Screw:	Zink white plated steel

FIG 306 - HEAVY DUTY BOLTED CLAMP
MILD STEEL



CODE	DIAMETER RANGE (Ø)	SCREW LENGTH (A)	BAND WIDTH	BAND THICKNESS	BOLT THICKNESS
306/HD032	40 - 45mm	65mm	25mm	1mm	M8
306/HD040	48 - 54mm	70mm			
306/HD050	58 - 66mm	70mm			
306/HD065	70 - 78mm	70mm		1.2mm	
306/HD080	90 - 98mm	70mm			

Material:	
Body:	Mild Steel
Housing:	Mild Steel
Screw:	Zink white plated steel

TBT
Tel: +27 41 364 0844
Fax: +27 41 364 0676
sales@tbtsa.com

OYA
QUALITY HOSE CLAMPS
MARINE | INDUSTRIAL | AUTOMOTIVE
AGRICULTURAL | PLUMBING | LAWN | GARDEN

Keeping it Tight

Specification MANUAL

FIG 307 - MEDIUM DUTY BOLTED CLAMP
STAINLESS STEEL



CODE	DIAMETER RANGE (Ø)	SCREW LENGTH (A)	BAND WIDTH	BAND THICKNESS	BOLT THICKNESS
307MD020	23 - 27mm	60mm	19mm	1mm	M6
307MD025	29 - 34mm	60mm			
307MD032	37 - 42mm	60mm			
307MD040	42 - 48mm	65mm			
307MD050	54 - 61mm	65mm			
307MD065	68 - 75mm	65mm			
307MD080	82 - 89mm	65mm			

Material:	
Body:	Mild Steel
Housing:	Mild Steel
Screw:	Zink white plated steel

FIG 308 - HEAVY DUTY BOLTED CLAMP
STAINLESS STEEL



CODE	DIAMETER RANGE (Ø)	SCREW LENGTH (A)	BAND WIDTH	BAND THICKNESS	BOLT THICKNESS
308HD032	40 - 45mm	65mm	25mm	1mm	M8
308HD040	48 - 54mm	70mm			
308HD050	58 - 66mm	70mm			
308HD065	70 - 78mm	70mm		1.2mm	
308HD080	90 - 98mm	70mm			

Material:	
Body:	Mild Steel
Housing:	Mild Steel
Screw:	Zink white plated steel

TBT
Tel: +27 41 364 0844
Fax: +27 41 364 0676
sales@tbtsa.com

OYA
QUALITY HOSE CLAMPS
MARINE | INDUSTRIAL | AUTOMOTIVE
AGRICULTURAL | PLUMBING | LAWN | GARDEN

Keeping it Tight

Specification
MANUAL

FIG 309 - SSN COUPLING







CODE	SIZE MM	STRAPS
309/0050	50	2
309/0075	75	2
309/0100	100	2
309/0150	150	4

	Material:	
1	Band:	301 Stainless Steel
2	Corrugated Part:	301 Stainless Steel
3	Gasket:	Rubber
4	Screw:	301 Stainless Steel
5	Housing:	301 Stainless Steel
6	Bottom of Housing:	301 Stainless Steel
7	Revit:	301 Stainless Steel

FIG 310 - SSN COUPLING REDUCING





CODE	SIZE MM	STRAPS
310/0050X0040	50 x 40	2

	Material:	
1	Band:	301 Stainless Steel
2	Corrugated Part:	301 Stainless Steel
3	Gasket:	Rubber
4	Screw:	301 Stainless Steel
5	Housing:	301 Stainless Steel
6	Bottom of Housing:	301 Stainless Steel
7	Revit:	301 Stainless Steel

TBT
Tel: +27 41 364 0844
Fax: +27 41 364 0676
sales@tbtsa.com